



Timken BEARING CORP.of CANADA LTD.



6211 Bearing 2D drawings and 3D CAD models

High Quality SKF 6211 6309 6208 6210/Ha

Bearing No. 6211

Size	100x55x21 mm
Bore Diameter	100 mm
Outer Diameter	55 mm
Width	21 mm
d	55 mm
D	100 mm
B	21 mm
d ₁	69.06 mm
D ₂	89.4 mm
r _{1,2} - min.	1.5 mm
d _a - min.	64 mm
D _a - max.	91 mm
r _a - max.	1.5 mm
Basic dynamic load rating - C	46.2 kN
Basic static load rating - C ₀	29 kN
Fatigue load limit - P _u	1.2 kN
Reference speed	14000 r/min
Limiting speed	9000 r/min
Calculation factor - k _r	0.025
Calculation factor - f ₀	14.3
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0.621



Timken BEARING CORP.of CANADA LTD.

EAN	7316577738028
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	55MM Bore; 100MM Outside Diameter; 21MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	6211
Weight / LBS	1.36
Bore	2.165 Inch 55 Millimeter
Outside Diameter	3.937 Inch 100 Millimeter
Outer Race Width	0.827 Inch 21 Millimeter
d ₁	69.06 mm
D ₂	89.4 mm
r _{1,2} min.	1.5 mm
d _a min.	64 mm



Timken BEARING CORP.of CANADA LTD.

D_a max.	91 mm
r_a max.	1.5 mm
Basic dynamic load rating C	46.2 kN
Basic static load rating C_0	29 kN
Fatigue load limit P_u	1.25 kN
Calculation factor k_r	0.025
Calculation factor f_0	14.3
Mass bearing	0.61 kg